

W6-009

Denton Swing Arm Bathroom Light, large backplate
(shown in nickel - N)

Height: 12.5"/32cm

Projection: 7.5"/19cm

Backplate: 3.5"/9cm x 5"/12cm



Recommended Shades (see Shade Section)	Available Finishes (see Introduction)	Standard Wiring (see Wiring Section)
NOT APPLICABLE Max. 60 watt	A B C D N P	UK: SBC see figs 1.4, 2.4 US: SES E12 see figs 1.8, 2.9 EU: SES E14 see figs 1.13, 2.11

W6-002

Double Swivel Bathroom light
(shown in brushed nickel - BN)

Length: 15"/37cm
Projection: 4.5"/11cm
Backplate: 2"/5cm




Recommended Shades (see Shade Section)	Available Finishes (see Introduction)	Standard Wiring (see Wiring Section)
NOT APPLICABLE Max. 2x60 watt	A B C D N P	UK: SBC see figs 1.4, 2.4 US: SES E12 see figs 1.8, 2.9 EU: SES E14 see figs 1.13, 2.11

W6-003

Double Horizontal Bathroom Light
(shown in brushed nickel - BN - can also be used vertically)

Length: 15"/37cm
Projection: 3"/8cm
Backplate: 4"/10cm




Recommended Shades (see Shade Section)	Available Finishes (see Introduction)	Standard Wiring (see Wiring Section)
NOT APPLICABLE Max. 2x60 watt	A B C D N P	UK: SBC see figs 1.4, 2.4 US: SES E12 see figs 1.8, 2.9 EU: SES E14 see figs 1.13, 2.11

W6-001

Swivel Bathroom Light
(shown in chrome - C)

Height: 9"/22.5cm
Projection: 3.5"/11cm
Backplate: 2"/5cm



Recommended Shades (see Shade Section)	Available Finishes (see Introduction)	Standard Wiring (see Wiring Section)
NOT APPLICABLE Max. 60 watt	A B C D N P	UK: SBC see figs 1.4, 2.4 US: SES E12 see figs 1.8, 2.9 EU: SES E14 see figs 1.13, 2.11

W6-004

Small Horizontal Bathroom light, pineapple finials
(shown in chrome - C - can also be used vertically)

Length: 10.5"/26cm
Projection: 4.5"/11cm
Backplate: 2"/5cm



Recommended Shades (see Shade Section)	Available Finishes (see Introduction)	Standard Wiring (see Wiring Section)
NOT APPLICABLE Max. 60 watt	(A) (B) (C) (D) (N) (P)	UK: SBC see figs 1.4, 2.4 US: SES E12 see figs 1.8, 2.9 EU: SES E14 see figs 1.13, 2.11

W6-005

Small Horizontal Bathroom light, ball finials
(shown in chrome - C - can also be used vertically)

Length: 9.5"/23cm
Projection: 4.5"/11cm
Backplate: 2"/5cm



Recommended Shades (see Shade Section)	Available Finishes (see Introduction)	Standard Wiring (see Wiring Section)
NOT APPLICABLE Max. 60 watt	(A) (B) (C) (D) (N) (P)	UK: SBC see figs 1.4, 2.4 US: SES E12 see figs 1.8, 2.9 EU: SES E14 see figs 1.13, 2.11

W6-006

Large Horizontal Bathroom Light, pineapple finials
(shown in chrome - C - can also be used vertically)
(also available with ball finials - W6-007 not shown)

(also available with ball finials - W6-007 not shown)

Length: 13"/33cm
Projection: 5"/12cm
Backplate: 2"/5cm



Recommended Shades (see Shade Section)	Available Finishes (see Introduction)	Standard Wiring (see Wiring Section)
NOT APPLICABLE Max. 60 watt	(A) (B) (C) (D) (N) (P)	UK: SBC see figs 1.4, 2.4 US: SES E12 see figs 1.8, 2.9 EU: SES E14 see figs 1.13, 2.11

W6-008

Denton Swing Arm Bathroom Light, medium backplate
(shown in nickel - N)

Height: 10"/25cm

Projection: 6"/15cm

Backplate: 2.25"/6cm x 5"/12cm



Recommended Shades (see Shade Section)	Available Finishes (see Introduction)	Standard Wiring (see Wiring Section)
NOT APPLICABLE Max. 60 watt	(A) (B) (C) (D) (N) (P)	UK: SBC see figs 1.4, 2.4 US: SES E12 see figs 1.8, 2.9 EU: SES E14 see figs 1.13, 2.11

W6-008

Denton Swing Arm Bathroom Light,
medium backplate (shown in chrome - C)

Height: 10"/25cm
Projection: 6"/15cm
Backplate: 2.25"/6cmx5"/12cm



Recommended Shades (see Shade Section)	Available Finishes (see Introduction)	Standard Wiring (see Wiring Section)
NOT APPLICABLE Max. 60 watt	A B C D N P	UK: SBC see figs 1.4, 2.4 US: SES E12 see figs 1.8, 2.9 EU: SES E14 see figs 1.13, 2.11

W6-009

Denton Swing Arm Bathroom Light,
large backplate (shown in chrome - C)

Height: 12.5"/32cm
Projection: 7.5"/19cm
Backplate: 3.5"/9cmx5"/12cm



Recommended Shades (see Shade Section)	Available Finishes (see Introduction)	Standard Wiring (see Wiring Section)
NOT APPLICABLE Max. 60 watt	A B C D N P	UK: SBC see figs 1.4, 2.4 US: SES E12 see figs 1.8, 2.9 EU: SES E14 see figs 1.13, 2.11

W6-010

Denton Swing Arm Bathroom Light,
large backplate and extra long stem
(shown in brushed nickel - BN - suitable for 10" empire shade)

Height: 14"/36cm
Projection: 10.5"/27cm
Backplate: 3.5"/9cmx5"/12cm



Recommended Shades (see Shade Section)	Available Finishes (see Introduction)	Standard Wiring (see Wiring Section)
10" Empire Max. 60 watt	A B C D N P	UK: SBC see figs 1.4, 2.4 US: SES E12 see figs 1.8, 2.9 EU: SES E14 see figs 1.13, 2.11

W6-010

Denton Swing Arm Bathroom Light,
large backplate and extra long stem
shown with 10" empire shade (finial)




W6-011

Right Angle Stem Wall Light
(shown in chrome - C)
Not suitable for bathrooms

Height: 10"/25cm
Projection: 4"/10cm
Backplate: 1.25"/3cmx3.5"/9cm



Recommended Shades (see Shade Section)	Available Finishes (see Introduction)	Standard Wiring (see Wiring Section)
 <p>4" Oblong Max. 60 watt</p>	<p>(A) (B) (C) (D) (N) (P)</p>	<p>UK: BC see figs 1.2, 2.2 US: SES E12 see figs 1.6, 2.9 EU: SES E14 see figs 1.11, 2.11</p>

W6-012

Medium Halogen Spot

Projection: 5"/12cm
 Backplate: 2.5"/6cmx3"/8cm
 Cowl: 2.5"/6cm



Recommended Shades (see Shade Section)	Available Finishes (see Introduction)	Standard Wiring (see Wiring Section)
NOT APPLICABLE	A B C D N P	UK: Halogen 20w 12v Decostar US: Halogen 51 with separate transformer EU: Halogen see figs 2.18, 7.8 (USA fig 7.9)
Max. 50 watt (20 watt supplied)		

W6-013

Large Halogen Spot, with built in transformer

Projection: 6"/15cm
 Backplate: 2.75"/7cmx4.75"/12cm
 Cowl: 4"/10cm



Recommended Shades (see Shade Section)	Available Finishes (see Introduction)	Standard Wiring (see Wiring Section)
NOT APPLICABLE	A B C D N P	UK: Halogen 20w 12v Decostar US: Halogen 51 EU: Halogen see figs 2.18
Max. 50 watt (20 watt supplied)		



W6-015

Halogen spot on long stem
 (shown in polished brass - P and chrome - C)

Projection: length to order, shown in standard length 14"/35cm

Backplate: 2"/5cm

Recommended Shades (see Shade Section)	Available Finishes (see Introduction)	Standard Wiring (see Wiring Section)
NOT APPLICABLE	(A) (B) (C) (D) (N) (P)	UK: Halogen 20w 12v Decostar US: Halogen 51 with separate transformer EU: Halogen see figs 2.18, 7.8 (USA fig 7.9)
Max. 50 watt (20 watt supplied)		

W6-014

Arrow Wall Light on stem
(shown in chrome - C)

Projection: 15.5"/39cm

Backplate: 2.25"/5.5cm x 3"/8cm



Recommended Shades (see Shade Section)	Available Finishes (see Introduction)	Standard Wiring (see Wiring Section)
NOT APPLICABLE Max. 50 watt (20 watt supplied)	(A) (B) (C) (D) (N) (P)	UK: Halogen US: Halogen 20w 12v Halostar Starlite 64425S G4 with separate transformer EU: Halogen see figs 2.16, 7.8 (USA fig 7.9)

W6-016

2 spot halogen bar
(shown in brushed nickel - BN)

Length: 28"/71cm
Projection: 8"/20cm
Backplate: 2"/5cm



Recommended Shades (see Shade Section)	Available Finishes (see Introduction)	Standard Wiring (see Wiring Section)
NOT APPLICABLE	(A) (B) (C) (D) (N) (P)	UK: Halogen US: Halogen EU: Halogen
Max. 2 x 50 watt (20 watt supplied)		20w 12v Decostar 51 with separate transformer <small>see figs 2.18, 7.8 (USA fig 7.9)</small>

W6-017

3 spot halogen bar

Length: 39"/100cm
Projection: 8"/20cm
Backplate: 2"/5cm



Recommended Shades (see Shade Section)	Available Finishes (see Introduction)	Standard Wiring (see Wiring Section)
NOT APPLICABLE	(A) (B) (C) (D) (N) (P)	UK: Halogen US: Halogen EU: Halogen
Max 3x 20 watt (supplied)		20w 12v Decostar 51 with separate transformer <small>see figs 2.18, 7.8 (USA fig 7.9)</small>

W6-018

4 spot halogen bar
(shown in bronze - B)

Length: 51"/130cm
Projection: 8"/20cm
Backplate: 2"/5cm



Recommended Shades (see Shade Section)	Available Finishes (see Introduction)	Standard Wiring (see Wiring Section)
NOT APPLICABLE	(A) (B) (C) (D) (N) (P)	UK: Halogen US: Halogen EU: Halogen
Max 4x 20 watt (supplied)		20w 12v Decostar 51 with separate transformer <small>see figs 2.18, 7.8 (USA fig 7.9)</small>