


BESSELINK&JONES.  
FINE LIGHTING, HAND BUILT.  
LONDON, ENGLAND.

ELECTRICAL FITTINGS & WIRING  
UNITED KINGDOM  
→ **FITTINGS**



### CANDLE CLIP

Candle shades and small coolie shades up to 7" diameter will normally have clip fittings, and clip onto:



small bayonet candle bulb (SBC), which fits into:




candle tube, which fits over:



small bayonet lampholder (SBC)



SBC candle bulbs  
Max 40W



### BC GIMBEL

Lampshades with fixed gimbels, normally sizes from 8" to 16" diameter, screw onto:



bayonet cap lampholder, switched (EPB) or unswitched (BC)



Shades 8"-10" use 60W golf ball




Shades 11" and above use general service bulb  
Max 60W



27mm inside dia.

BESSELINK&JONES.  
FINE LIGHTING, HAND BUILT.  
LONDON, ENGLAND.

ELECTRICAL FITTINGS & WIRING  
UNITED KINGDOM  
→ **FITTINGS**



DUPLEX

Lampshades with duplex fittings, normally sizes 17" base diameter and over, fit onto:




shade carrier, which screws onto:



bayonet cap lampholder, switched (EPB) or unswitched (BC)



Use general service bulbs  
Max 100W



FINNIAL

Lampshades with finnial fittings (not commonly used in Britain) can be used with 2 way lamp fittings and finnial. They fit onto:



2 way fittings.



Use general service bulbs  
Up to 2x 60W


BESSELINK&JONES.

FINE LIGHTING, HAND BUILT.  
LONDON, ENGLAND.

ELECTRICAL FITTINGS & WIRING

UNITED KINGDOM

→ **FITTINGS**



### DUPLEX

(shown with 3 way lampholder and reflector fitting)

Larger Lampshades with reflector fittings are used with 3 way fittings and fit onto:



white metal reflector fittings, which screw onto:




3 way fitting.

Lampholders can be switched or unswitched.



Use general service bulbs.  
Up to 3x 60W



### PENDANT

Lampshades with pendant fittings go onto:



bayonet cap lampholders, sometimes switched, but normally unswitched and used in conjunction with:



a footswitch.



Use general service bulbs  
Max 60W

BESSELINK&JONES.

FINE LIGHTING, HAND BUILT.  
LONDON, ENGLAND.

ELECTRICAL FITTINGS & WIRING

UNITED KINGDOM

→ **BULBS & LAMP HOLDERS**

AS USED IN UK, AUSTRALASIA, INDIAN SUB-CONTINENT AND PARTS OF THE MIDDLE EAST.



**fig 2.1**  
General Service Bulb  
Bayonet Cap. (BC)  
25W - 40W - 60W - 100W



**fig 2.2**  
Candle Bulb  
Bayonet Cap (BC)  
25W - 40W - 60W



**fig 2.3**  
Golf Ball Bulb  
Bayonet Cap (BC)  
25W - 40W - 60W



**fig 1.1**  
EPB Switched Lampholder  
with shade ring (BC)



**fig 1.2**  
Lampholder with  
shade ring (BC)



**fig 2.4**  
Candle Bulb  
Small Bayonet Cap (SBC)  
25W - 40W - 60W



**fig 2.6**  
Golf Ball Bulb  
Small Bayonet Cap (SBC)  
25W - 40W - 60W



**fig 2.5**  
Pygmy Bulb  
Small Bayonet Cap (SBC)  
15W - 25W



**fig 1.3**  
Small Bayonet Cap  
Lampholder with  
shade ring (SBC)



**fig 1.4**  
Small Bayonet Cap  
Lampholder without  
shade ring (SBC)



**fig 2.18**  
Low Voltage 50mm  
(Dichroic) 12V Closed  
Front Halogen Bulb  
20W - 35W - 50W



**fig 2.16**  
Capsule Low Voltage  
Halogen 12V - 2pin  
Type ref. M91 - 10W - G4 cap  
Type ref. M47 - 20W - G4 cap



**fig 2.17**  
Mains Voltage Tungsten  
Halogen Linear Lamp  
TH 100/K4 - 100W - 78mm - R7S cap  
TH 150/K4 - 150W - 78mm - R7S cap

BESSELINK&JONES.  
FINE LIGHTING, HAND BUILT.  
LONDON, ENGLAND.

ELECTRICAL FITTINGS & WIRING  
UNITED KINGDOM  
→ **PLUGS, SWITCHES & ACCESSORIES**



**fig 3.1**  
13 Amp Square Pin Plug  
(for lamps, use a 3 amp fuse)



**fig 3.2**  
5 Amp Lighting  
Circuit Plug



**fig 3.3**  
2 Amp Lighting  
Circuit Plug



**fig 7.14**



**fig 5.1**



**fig 5.2**

In-line, Cord or  
"Torpedo" switches.  
Gold or Black



**fig 5.3**  
Foot Operated Switch



**fig 7.3**  
Brass Chain and  
ceiling rose



**fig 4.1**  
Gold PVC 3 Core Flex



**fig 4.2**  
Black PVC 3 Core Flex



**fig 4.3**  
White PVC 3 Core Flex



**fig 4.4**  
Cloth Covered 3 Core Flex



**fig 7.11**  
ES to BC  
converter



**fig 7.12**  
BC to ES  
converter



**fig 7.8**  
Transformer for Tungsten  
Halogen Fittings. 240V/12V  
105 Watt Max



**fig 7.1**  
Coverplate with Grommet Hole.  
For use with Library Lights.  
Available in any size



**fig 7.2**  
Brass Conduit